

MAGELLAN BIOSCIENCES

Section 1: Chemical Name and Company Details

Gram Positive Susceptibility Plates + Identification Plate

TREK Diagnostic Systems Ltd. Tel: +44(0)1342 318777

Units 17 – 19

Birches Industrial Estate

East Grinstead Fax: +44(0)1342 318666

West Sussex RH19 1XZ

UK

Section 2: Composition and Information on Ingredients

Microtitre panel containing 32 Identification media:

Sugar utilisation: Rhamnose, Mannitol, Trehalose, Maltose, Glucose, Sucrose,

Sorbitol, Glycerol, β-methyl-glucoside

Enzyme activity detection:- FR13 FR16 FR15 FR14 FR17 FR18 FR19 FR20 FR21 FR22

FR23 FR24FR25 FR26 FR27 FR28 FR29 FR30 FR31 FR32

Decarboxalyse: - Arginine

Other:- Urea, Aesculin

Antibiotics:- Dried antibiotics with or without Gram Positive Substrate (GPSIW)

Section 3: Hazards Identification

This product is not classified as hazardous and no known health hazard is known to be associated with exposure to this product.

This product is however used in conjunction with bacterial cultures and any hazards associated with the cultures in use, should be recognised and appropriate additional precautions or actions taken.

Section 4: First Aid Measures

Eyes Wash with copious amounts of water and see a physician if symptoms persist.

Skin Wash with soap/water; consult a doctor if irritation develops.

Ingestion Not applicable under normal conditions of use but seek medical attention if

abdominal distress occurs.

Inhalation Not applicable under normal conditions of use but seek medical attention if

respiratory distress occurs.



Section 5: Fire Fighting Measures

No special precautions are required in the event of fire. Use a fire extinguisher appropriate to local fire conditions.

Other considerations:-

It may be possible for the plastic that comprises the panel itself to evolve toxic fumes, when dealing with a fire involving large numbers of panels self contained breathing apparatus would be recommended.

Section 6: Accidental Release Measures

Solid spills are unlikely under normal conditions of use as deliberate physical removal of well contents would be required, after reconstitution however a liquid spill could happen. In this event the spill would constitute a biohazard and should be removed by absorbsion, disinfection and all materials autoclaved or incinerated.

Section 7: Handling and Storage

Store at room temperature (15-25°C) in the original packaging.

Section 8: Exposure Controls, Personal Protection

In general no personal protection is required, but for this products intended use with bacterial cultures the usual precautions of a laboratory coat, safety glasses and appropriate gloves would be recommended.

Additional requirements may be indicated by assessment on use of any given bacterial species such as masks or safety cabinets.



Section 9: Physical and Chemical Properties

96 well microtitre tray with 32 dried thin film identification media and 64 dried thin film antibiotic drugs with GPSIW solution.

Section 10: Stability and Reactivity

Stable under normal conditions of use and storage, avoid high temperatures and direct sun light as this may cause degradation of organic components.

Section 11: Toxicological Information

IDENTIFICATION MEDIA

4-methylumberliferone (4MU), 7-amino-4-methyl Coumarin (7AMC) and Sugar Derivative No. 1, are all classified as irritant in their unadulterated state, some of the unclassified conjugated substrates that contain 4MU and 7AMC are also likely irritants. At the levels of use and with even these low levels locked away in a thin film in the bottom of the microtitre well it is not likely that irritation to an operator can occur. All other components of the media present are classified as non hazardous and as such pose no risk. (a COSHH information sheet is available on request).

GPSIW

This product contains Component 1, Component 2, Component 3 and Component 4. None of the above is considered harmful. All are possible irritants in their unadulterated state. It is not considered likely at levels present in a thin film that irritation will occur on accidental exposure.

ANTIBIOTICS

All the antibiotics present are generally classified as hazardous, with label precautions running from irritant to toxic in their unadulterated state. At the levels of use and with even these low levels locked away in a thin film in the bottom of the microtitre well it is not likely that significant exposure to an operator can occur.

All other components of the media present are classified as non hazardous and as such pose no risk. (a COSHH information sheet is available on request).

Section 12: Ecological Information

No relevant studies have been identified.



Section 13: Disposal Considerations

Unused panels should be disposed of as non hazardous waste according to local/federal waste disposal regulations.

Panels inoculated with bacterial cultures should be sterilised by autoclaving or incineration prior to disposal according to local/federal waste regulations.

Section 14: Transport Information

This is a non hazardous material no special EU or US shipping regulations/restrictions affect the shipping of this product.

Section 15 Regulatory Information

Risk phrases: none Safety phrases: none EC classification: none

Section 16 Other Information

- 1) The above information is believed to be correct but does not purport to be all inclusive and should only be used as a guide. TREK shall not be held responsible for any damage resulting from handling or contact with the above material.
- 2) This MSDS complies with REACH (2007) and CHIP (1993).

Version: CID7565/V1.3